

# TUV T5

# TUV 64T5 HE 4P SE UNP

TUV T5 lamps are single- or double-ended UVC (germicidal) lamps used in professional water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV T5 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

# Product data

## General Characteristics

System Description	High Efficiency
Cap-Base	4 Pins Single Ended
Cap-Base Information	4 Pins Single Ended
Bulb	T16
Main Application	Disinfection
Useful Life	9000 hr

## • Light Technical Characteristics

Colour Code	-
Colour Designation	-

## • Electrical Characteristics

Rated Lamp Wattage Technical Lamp	75 W 75 W
Power	
Lamp Voltage	176 V
Lamp Current	0.425 A

#### • UV-related Characteristics

UV-C Radiation	31 W
Of Chadaalon	51.11

## • Product Dimensions

Reference Length A
Overall Length C
Diameter D


1550.6 (min), 1553.6 (nom), 1556.6 (max) mm 1557.5 (min), 1561.0 (nom), 1564.5 (max) mm 19 (max) mm

## • Product Data

Order code Full product code Full product name Order product name Pieces per pack Packing configuration Packs per outerbox Bar code on pack -EAN1 Bar code on outerbox - EAN3 Logistic code(s) -12NC Net weight per piece 642325 99 871150064232599 TUV 64T5 HE 4P SE UNP TUV 64T5 HE 4P SE UNP 1 32 32 8711500642325 8711500642332 927970704099 156.000 gr



# Dimensional drawing




# 4 pins single ended

Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 64T5 HE 4P SE	-	-	1556.6	-	-	-	-	-	1564.5	19.3	-



4 Pins Single Ended

# Photometric data





 $\ensuremath{\mathbb{C}}$  2012 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting