

Halogen High Voltage SE (Film/Studio)

6638P 650W GY9.5 230V 1CT



The high, constant output and consistent color temperature of these single ended halogen lamps ensure attractive, accurately exposed pictures for both film and video. Furthermore, these lamps incorporate the highly innovative P3 technology, developed by Philips. This allows the lamps to be used at higher temperatures, which extends overall lifetime and consistency of their high-quality light output. P3 technology also allows the lamp to be used in any burning position and enables more compact designs of fixtures. In addition, the very wide choice of dimensions and power ratings opens new levels of creative freedom for the luminaire designer.

Product data

• General Characteristics

Philips Code	6638P
ANSI Code	FRL
LIF Code	CP/89
System Description	P3 Technology
Cap-Base	GY9.5
Bulb Finish	Clear
Filament Shape	Bi-Plane
Operating Position	any
Main Application	Entertainment
Life to 50% failures	180 hr

• Light Technical Characteristics

Color Temperature	3200 K
Technical	
Luminous Flux Lamp	16500 Lm

• Electrical Characteristics

Lamp Wattage	650 W
Voltage	230 V
Dimmable	Yes
Rapid Acting HBC	4 V
Fuse	

• Luminaire Design Requirements

Pinch Temperature	500 (max) C
Bulb Temperature	900 (max) C

• Product Dimensions


Overall Length C	90 (max) mm
Diameter D	22 (max) mm
Pin Length K	7.0 (min), 7.7 (nom), 8.6 (max) mm
Light Center Length L	46.5 mm
Pin Distance R	9.53 mm
Filament Dimensions (WxH) [mm]	11x12
Filament Height H	12 mm
Filament Length W	11 mm

• Product Data

Order code	924501342928
Full product code	924501342928
Full product name	6638P 650W GY9.5 230V 1CT
Order product name	6638P 650W GY9.5 230V 1CT/10
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8711500184481
Bar code on outerbox - EAN3	8711500184498
Logistic code(s) - 12NC	924501342928
Net weight per piece	0.025 kg

Dimensional drawing

Dimensional drawing



GY9.5

Product	C (Max)	D (Max)	H (Norm)	K (Min)	K (Norm)	K (Max)	L (Min)	L (Norm)	L (Max)	P (Min)	P (Norm)	P (Max)	R (Min)	R (Norm)	R (Max)	W (Norm)
6638P 650W GY9.5 230V 90	22	12	7.0	7.7	8.6	-	46.5	-	-	-	-	-	-	9.53	-	11

