

Halogen High Voltage DE

PF801 R 1000W R7s 230V 1CT

The high, constant light output and consistent color temperature of these double ended high voltage halogen lamps ensure attractive, accurately exposed pictures for both film and video. In addition, the wide choice of dimensions and power ratings opens new levels of creative freedom for the luminaire designer.

Product data

• General Characteristics

Philips Code PF801 R ANSI Code **FDG** LIF Code P1/12 Cap-Base R7s **Bulb Finish** Clear Filament Shape Coiled Coil Operating Position any

Video/Photo/Eng Main Application Life to 50% failures 15 hr

• Light Technical Characteristics

Color Temperature 3400 K

Technical

Luminous Flux Lamp 34000 Lm

• Electrical Characteristics

1000 W Lamp Wattage Voltage 230 V Dimmable Yes Rapid Acting HBC 6.3 V

Fuse

• Luminaire Design Requirements

Pinch Temperature 450 (max) C

Dimensional drawing

900 (max) C **Bulb Temperature**

• Product Dimensions

Base Face to Base 121.7 mm Face A

Overall Length C 125.1 (max) mm 9 (max) mm Diameter D Filament Length W 72 mm

• Product Data

923862743201 Order code Full product code 923862743201

Full product name PF801 R 1000W R7s 230V 1CT PF801 R 1000W R7s 230V 1CT/10 Order product name

Pieces per pack 10 Packing configuration Packs per outerbox 10

8711500491992 Bar code on pack -EAN1


8711500521804 Bar code on outerbox - EAN3

Logistic code(s) -923862743201

Net weight per piece 11.000 gr



Dimensional drawing



R7s, RX7s

Product	A (Min)	A (Norm)	A (Max)	C (Max)	D (Max)	W (Norm)
PF801 R 1000W R7s 230V	-	121.7	-	125.1	9	72



R7s



© 2012 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.