

Halogen non-reflector

6390 30W G5.3 10.8V 1CT

Halogen non-reflector lamps offer high-quality light and are easy to install, replace and operate. All halogen non-reflector lamps incorporate a distortion-free quartz bulb and a precise positioning of the mounted filament. These ensure optimal beam performance and consistent, high light output. A wide range of wattages is available for a broad variety of applications, including projection systems. In addition you get all the proven advantages of halogen technology such as a full spectrum and a color rendering index (CRI) of 100 – the same as natural light and the best that it can be. Halogen lamps also create a comfortable warm white light, and they maintain their lumen output, with almost no reduction, throughout their lifetime.

Product data

• General Characteristics

Philips Code	6390
ANSI Code	DZA
LIF Code	-
Cap-Base	G5.3
Bulb Material	Quartz-UV Open
Filament Shape	Flat
Operating Position	s90
Main Application	Projection
Life to 50% failures	1000 hr

• Light Technical Characteristics

Color Rendering Index	100 Ra8			
Color Temperature Technical	3100 K			
Luminous Flux Lamp	570 Lm			

• Electrical Characteristics

Lamp Wattage	30 W
Voltage	10.8 V

• Luminaire Design Requirements

Pinch Temperature	400 (max) C
Bulb Temperature	900 (max) C

Dimensional drawing

Product Dimensions

Diameter D Light Center Length L Pin Diameter P

Filament Dimensions (WxH) [mm]

• Product Data

Order code Full product code Full product name Order product name Pieces per pack Packing configuration Packs per outerbox Bar code on pack -EAN1 Bar code on intermediate packing -EAN2 Bar code on outerbox - EAN3 Logistic code(s) -12NC Net weight per piece 1.45 (min), 1.50 (nom), 1.55 (max) mm 3.5x1.25

26.75 (min), 27 (nom), 27.25 (max)

9 (max) mm


mm

6.500 gr

822234361802 822234361802 6390 30W G5.3 10.8V 1CT 6390 30W G5.3 10.8V 1CT/10×10F 1 10×10F 100 8711500410085 8711500422415 8711500422422 822234361802



Dimensional drawing



6390 30W G5.3 10.8V 1CT

Product	C (Norm)	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)	P (Min)	P (Norm)	P (Max)
6390 30W G5.3 10.8V	-	-	9	26.75	27	27.25	1.45	1.50	1.55





G5.3



© 2013 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting